eibe
complete inspiration

MOVEMENT TRAILS

CLIMBING COURSE
NINJA

Art. Nr. 525 999 005 86

CLIMBING COURSE
NINJA

Art. Nr. 525 999 005 86

skill

courage

body tension

climbing

climbing

strength

overcoming obstacles

orientation

2,45 m

1,95 m

1,45 m

0,95 m

0,45 m

OUR HIGH QUALITY MATERIALS

STEEL

For better stability we use steel posts with a diameter of 139.7 mm and a wall thickness of 4 mm.

The posts can be either hot-dip galvanised or additionally powder coated (colour of choice).

ROPES

We use a 6-strand, polyester (PES) coated steel rope for the highest demands while maximising safety through low water absorption, sand retention, very high UV resistance, good abrasion resistance and very high yarn strength.

WOOD

100% FSC® COC-certified larch plywood, oiled (top finish) dry seasoned and from European stocks. This guarantees less cracking and thus less attack surface for wood-damaging fungi and insects. This significantly increases durability and safety.

The double mantle cut reduces the risk of injury from splinters and ensures child-friendly haptics and an attractive appearance, which increases acceptance in the user groups.

STAINLESS STEEL

We only use V2A stainless steel for rungs, slide bars and chains.

The advantages of stainless steel at a glance:

- corrosion resistant
- temperature resistant
- conductive
- weldable
- hygienic
- low-maintenance
- durable

FLOOR ANCHOR

Made of hot-dip galvanised steel for high corrosion protection. Prevent from direct contact of wood with the ground. Stable, double-secured mechanical and attesive connection with the uprights by screwing and gluing with industrial industrial bombproof adhesive.

NETS

One-piece plastic connectors on nets reduce the breakage danger. Nets are connected to wooden components by means of high-quality stainless steel ring nuts as well as stainless steel thimbles or plastic thimbles.

NEW!
Innovation -
tough trail!
With new elements of parcours
freerunning and calisthenics.
eibe
TOUGH TRAIL®

TOUGH TRAIL®

NEW!

The tough trail turns the playground into an exciting, action-packed fitness experience for young people aged 10 and up. Trend sports such as freerunning, parkour or street workout, in which young people reclaim urban space through their own creative way of getting around and take unusual routes, inspired us in the development of this new play-sport concept.

No one can escape the appeal of the obstacle trail, which is visually designed to great effect and has been thought through in terms of movement pedagogy.

- Modern, urban design
- Sporty orientation with many movement stimuli from trend sports such as freerunning, parkour or Ninja Warrior
- Challenging, demanding ascents, transitions and descents for the 10+ target group
- Three casual color concepts to choose from
- Robust materials especially suitable for high utilization and a long product lifetime
- Tested safety: play equipment according to DIN EN 1176

Play meets sporting challenge with full-body commitment!



With the eibe tough trail, playgrounds are once again an attractive place for young people to spend time, full of action and exercise. Public spaces, parks, and sports and leisure facilities are upgraded and, with the tough trail, offer a cross-generational range of exercise.

colour concept

TOUGH TRAIL®

Master the obstacle trail with skill, strength and endurance!
An attraction with lots of fun, action and plenty of movement - young athletes will find plenty of exciting challenges on the versatile climbing, dangling and balancing elements of the tough trail.

「Show what you are made of!」

TOUGH TRAIL®

10+

eibe

PLAY UNIT

TURNTILL BURN

Art. Nr. 525 704 03172

NEW!

twisted hanging ladder

Parcours Run

courage

boulderring course

balance

warped wall - ramp

slide

climbing wall

floating panels

spider wall - climbing chimney



climb the ramp

180°

TOUGH TRAIL®

PLAYUNIT TURNTILL BURN

Art. Nr. 525 704 03172

NEW!



Intuitive training

Info box

Minimum space:	1524x1429x464 cm
Free falling height:	284 cm
Impact protection net:	126,5 m²
Foundations:	37x CF or 2x CF + 35 FFs

Java Concrete

5 25 704 011 00 S	Wpi
5 25 704 031 00	Larch natural
5 25 704 041 00	Larch GL, larch

Urban Graffity

5 25 704 011 72 S	Wpi
① 5 25 704 031 72	Larch natural
5 25 704 041 72	Larch GL, larch

Black Pattern

5 25 704 011 91 S	Wpi
5 25 704 031 91	Larch natural
5 25 704 041 91	Larch GL, larch



TOUGH TRAIL®

eibe

Posts also available in steel

Uniquely diverse, perfectly safe:
Best-quality materials



Posts:
Softwood
pressure-impregnated



Steel galvanised



Larch natural

Steel powder-coated

Larch GL oiled

Stainless steel



Fireman's poles,
Rungs:
Stainless steel



Ascents:
Softwood, HPL, PES

● all adapter softwood
fittings stainless steel

Post shoes:
Steel galvanised

Climbing board:
HPL, Softwood
Climbing grips: GFRP

Crossovers:
Softwood,
Stainless steel, HPL

Single elements:
HPL, Steel-wood
substructure

Panels:
HPL

Chains:
Stainless steel

Nets, ropes:
Plastic-coated steel
rope PES (6-stranded,
glued)

Stepping surface:
HPL grooved
Softwood
Artificial grass
Plexiglas

Platform structure:
Steel galvanised

TOUGH TRAIL®

Modularity without limits – individual combinations!

Customised standard unit or a complete new play world – we compose your individual play unit!

We check your bespoke combination on technical feasibility and stability, standard conformity, delivery time and price.

So we can guarantee the perfect construction process for your playground project.

Want an extra dose of adrenaline? Then replace the climbing slabs with the Spider Wall!

The Cross Jump is mastered? Then it's straight to the next challenge from our spectacular transitions!

Choose from 3 colour accents!

Contact us





TOUGH TRAIL®

Many children and young people at the same time can demonstrate their sporting skills on the tough trail. On their own, with each other or in competition, different levels of difficulty and versatile ascent and descent options allow each child and teenager to use the equipment according to their own individual abilities.

「For the extra portion of adrenaline!」

TOUGH TRAIL®

eibe

10+

PLAY UNIT ROCK MASTER

Art. Nr. 525 705 01172

NEW!

climbing

courage

Parcours Run

Kraft

floating panels

boulderring course

climbing and jumping

orientation

Parcours Run

climbing wall





TOUGH TRAIL®

eibe

PLAY UNIT
ROCK MASTER

Art. Nr. 525 705 011 72

NEW!



Info box

Minimum space:	2330x1622x458 cm
Free falling height:	278 cm
Impact protection net:	232,5 m²
Foundations:	86x CF or 20x CF + 66x PFs

Java Concrete

5 25 705 011 00 S	Wpi
5 25 705 031 00	Larch natural
5 25 705 041 00	Larch GL, larch

Urban Graffity

5 25 705 011 72 S	Wpi
① 5 25 705 031 72	Larch natural
5 25 705 041 72	Larch GL, larch

Black Pattern

5 25 705 011 91 S	Wpi
5 25 705 031 91	Larch natural
5 25 705 041 91	Larch GL, larch

TOUGH TRAIL®

Many possibilities of extensions!

CLIMBING ELEMENT
NO-HANDS REST
Art. Nr. 525 706 153 91 (Black Pattern)

CLIMBING ELEMENT
FREE SOLO
Art. Nr. 525 707 153 00 (Java Concrete)

CLIMBING ELEMENT
CLIMBING CUBE
Art. Nr. 525 708 153 72 (Urban Graffity)

Summary

Contact us, please!

CLIMBING PARCOURS
NINJA
Art. Nr. 525 999 005 86

TOUGH TRAIL®

PLAY UNIT
TURNTILL BURN
Art. Nr. 525 704 03172

TOUGH TRAIL®

PLAY UNIT
ROCK MASTER
Art. Nr. 525 705 011 72

OUR CONTRIBUTION TO THE ENVIRONMENTAL PROTECTION

We build on wood from sustainable forestry. Because it is durable and particularly beautiful.

Das Zeichen für verantwortungsvolle Waldwirtschaft



Proofed, tested, awarded!
Numerous certificates for our products as well as for eibe as a company are the best proof that we have the right quality and philosophy.

Environmentally friendly production

Sustainability is a central issue of our corporate philosophy. We are firmly convinced that fair trade and the use of ecologically compatible materials are always a good decision.

eibe's environmental management includes, among other things, measures for climate protection, waste disposal and energy saving.

Solvent-free lacquers

naturally colourful
During production, we pay attention to ecological compatibility down to the smallest detail. That is why eibe only offers lacquers that are completely without solvents.

Pollutant-free raw materials

Clean raw materials
We only use natural materials. If we use plastics, they are free of harmful substances.

Efficient energy use

Sustainable production
Every step in our production chain has been optimized to ecological aspects. For example, we generate 95 % of our heating energy from wood residues.

Protecting the future – eibe stands for sustainability.

eibe
complete inspiration

THANK YOU FOR YOUR INTEREST!

Your contact at eibe:

eibe Produktion + Vertrieb GmbH & Co. KG
Industriestraße 1 |D-97285 Röttingen |Germany |Tel. +49 9338 89-0 |Fax +49 9338 89-199 |eibe@eibe.de

This document is protected by copyright and is the property of eibe.
It may not be copied or reproduced, nor communicated or made available to third parties without our written permission.
Any further use requires the consent of eibe. Unlawful use is punishable by law and obliges to pay damages.

eibe.net